PCT





INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: WO 00/38168 (11) International Publication Number: G09G 3/36, 3/20 A1 29 June 2000 (29.06.00) (43) International Publication Date: (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, (21) International Application Number: PCT/GB99/04277 BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, 16 December 1999 (16.12.99) (22) International Filing Date: KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, (30) Priority Data: US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, GB 19 December 1998 (19.12.98) 9827944.1 AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, (71) Applicant (for all designated States except US): THE SEC-RETARY OF STATE FOR DEFENCE [GB/GB]; Defence GA, GN, GW, ML, MR, NE, SN, TD, TG). Research and Evaluation Agency, Ively Road, Farnborough, Hampshire GU14 0LX (GB). **Published** (72) Inventors; and (75) Inventors/Applicants (for US only): COKER, Timothy, Mar-With international search report. Before the expiration of the time limit for amending the tin [GB/GB]; 4 Brewery Court, South Road, Oundel, Peclaims and to be republished in the event of the receipt of terborough PE8 4DZ (GB). CROSSLAND, William, Alden [GB/GB]; University of Cambridge, Engineering Departamendments. ment, Trumpington Street, Cambridge CB2 1PZ (GB). (74) Agents: GODDARD, David, John; Harrison Goddard Foote, 1 Stockport Road, Marple, Stockport SK6 6BD (GB) et al.

(54) Title: FAST READOUT OF MULTIPLE DIGITAL BIT PLANES FOR DISPLAY OF GREYSCALE IMAGES

(57) Abstract

In a method of signal processing for greyscale imaging in which weighted bitplanes corresponding to a greyscale image are stored as binary strings in sequential locations in a memory, in decreasing order of intended duration (weighting), a number of read passes equal to the number of weighted bitplanes are made from the set of stored bitplanes, each pass commencing with the highest order bitplanes and continuing along the stored bitplanes in sequence, the lengths of the sequences being varied and selected such that at the end of the said number of read passes each bit plane has been read out a plurality of times proportional to or equal to its duration (weighting). The method has utility in driving high speed liquid crystal matrix arrays particularly where each bitplane needs to be refreshed. A small ac potential may be applied to the array between writing steps.